

**Run Statistics by Week in FY2009**

Run Statistics by Week in FY2009														
Faults														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum
Run 08-3	0	0	3	0	2	6	2	0	1	0	2	2		18
Run 09-1	6	3	1	0	0	1	3	1	4	0	2	3		24
Run 09-2	2	4	6	1	4	0	2	0	0	0	2			21
														63
MTBF														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 08-3	144.0	144.0	39.0	144.0	58.8	22.5	70.9	184.0	95.2	144.0	69.4	60.0		97.4
Run 09-1	23.7	38.2	141.2	120.0	144.0	141.6	47.2	119.4	35.4	144.0	70.6	53.8		68.9
Run 09-2	67.6	34.3	22.8	113.3	45.5	192.0	58.6	144.0	144.0	144.0	89.9			77.4
Average	78.4	72.2	67.7	125.8	82.8	118.7	58.9	149.1	91.5	144.0	76.6	56.9		81.2
Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 08-3	100.0%	100.0%	97.4%	100.0%	97.2%	93.8%	98.5%	100.0%	99.2%	100.0%	96.4%	83.0%		99.4%
Run 09-1	98.7%	95.4%	98.1%	100.0%	100.0%	99.0%	98.3%	99.5%	98.4%	100.0%	98.0%	96.1%		98.4%
Run 09-2	93.9%	95.4%	94.9%	94.4%	94.8%	100.0%	97.7%	100.0%	100.0%	100.0%	97.8%			97.2%
Average	97.5%	96.9%	96.8%	98.1%	97.3%	97.6%	98.2%	99.8%	99.2%	100.0%	97.4%	89.5%		99.4%
Injector Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 08-3	97.7%	100.0%	98.8%	99.1%	99.9%	99.8%	99.2%	99.5%	100.0%	96.4%	99.5%	96.4%		99.0%
Run 09-1	99.1%	98.4%	98.7%	97.8%	96.6%	94.1%	100.0%	100.0%	99.7%	99.0%	98.3%	100.0%		98.2%
Run 09-2	96.6%	99.7%	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			96.6%
Average	97.8%	99.4%	98.9%	99.0%	98.8%	98.0%	99.7%	99.8%	99.9%	98.4%	99.3%	98.2%		97.9%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 70 hours MTBF were met