

Run Statistics by Week in FY-13

Run Statistics by Week in FY-13														
Faults														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum
Run 12-3	1	2	3	1	0	4	2	0	0	1	5			19
Run 13-1	1	2	1	0	1	2	0	0	0	2	0	1		10
Run 13-2	5	2	2	0	4	0	1	1	0	2	0	3		20
														49
MTBF														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 12-3	143.6	68.9	47.3	119.6	145.0	29.0	91.2	96	144.0	142.5	33.3			80.8
Run 13-1	165.1	70.8	140.2	120.0	143.2	56.8	144.0	144.0	144.0	71.0	144.0	165.9		170.8
Run 13-2	26.6	68.9	70.9	120.0	44.9	96.0	142.9	118.3	144.0	66.7	144.0	53.9		82.6
Average	111.8	69.6	86.1	119.9	111.0	60.6	126.0	119.4	144.0	93.4	107.1	109.9		111.4
Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 12-3	99.7%	95.7%	98.4%	99.7%	100.0%	96.8%	99.1%	100.0%	100.0%	98.9%	90.5%			97.8%
Run 13-1	98.3%	98.4%	97.3%	100.0%	99.4%	95.5%	100.0%	100.0%	100.0%	98.6%	100.0%	98.7%		98.9%
Run 13-2	92.2%	95.8%	98.4%	100.0%	93.6%	100.0%	99.3%	98.6%	100.0%	92.7%	100.0%	96.2%		97.0%
Average	96.7%	96.6%	98.1%	99.9%	97.7%	97.4%	99.4%	99.5%	100.0%	96.7%	96.8%	97.5%		97.9%
Injector Availability														
Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 12-3	100.0%	98.5%	90.1%	100.0%	99.0%	99.9%	99.3%	98.8%	97.9%	100.0%	100.0%			98.1%
Run 13-1	99.0%	99.9%	99.0%	98.2%	100.0%	100.0%	99.9%	97.7%	99.1%	100.0%	100.0%	100.0%		99.1%
Run 13-2	73.9%	81.9%	89.8%	100.0%	98.0%	100.0%	97.7%	95.3%	100.0%	100.0%	100.0%	100.0%		92.9%
Average	90.9%	93.4%	93.0%	99.4%	99.0%	100.0%	98.9%	97.3%	99.0%	100.0%	100.0%	100.0%		96.7%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 70 hours MTBF were met