

Run Statistics by Week in FY-17

Run Statistics by Week in FY-17																
Faults	Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Sum	
Run 16-3		3	0	3	0	3	0	4	1	0	0	0			14	
Run 17-1		3	2	2	0	0	1	0	0	3	0	1	0		12	
Run 17-2		0	0	1	1	1	1	2	1	3	0	0	0		10	
															36	
MTBF	Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total	
Run 16-3		45.51	144	47	142.53	38.85	144	47.12	238.22	144	144				109.95	
Run 17-1		46.8	69.5	68.9	144	120.0	141.4	144.0	144.0	46.72	144.0	143.3	160.0		141.5	
Run 17-2		95.5	144.0	143.5	141.9	141.5	117.4	71.3	143.4	23.0					161.1	
Average		62.6	119.2	86.5	142.8	100.1	134.3	87.5	175.2	71.2	144.0	143.3	160.0	#DIV/0!	137.5	
Availability	Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total	
Run 16-3		94.81%	100.00%	97.92%	98.98%	96.32%	100.00%	98.17%	99.26%	100.00%	100.00%				98.61%	
Run 17-1		97.4%	96.5%	95.7%	100.00%	100.00%	98.9%	100.00%	100.00%	97.3%					98.8%	
Run 17-2		79.6%	100.0%	99.6%	98.6%	98.3%	97.8%	99.1%	99.6%	47.9%	100.00%	100.00%	100.00%		93.7%	
Average		90.6%	98.8%	97.8%	99.2%	98.2%	98.9%	99.1%	99.6%	81.7%	100.0%	100.0%	100.0%		97.0%	
Injector	Availability	Week	1	2	3	4	5	6	7	8	9	10	11	12	13	Total
Run 16-3			90.0%	96.8%	99.8%	98.1%	98.2%	99.7%	99.9%	100.0%	100.0%	100.0%				98.2%
Run 16-1			91.5%	98.7%	100.0%	99.8%	99.6%	98.7%	100.0%	100.0%	99.9%	99.6%	99.7%	100.0%		98.8%
Run 16-2			97.7%	100.0%	99.5%	99.8%	99.7%	100.0%	100.0%	100.0%	100.0%	98.2%	100.0%			99.3%
Average			93.1%	98.5%	99.8%	99.2%	99.2%	99.5%	100.0%	100.0%	100.0%	99.3%	99.8%	100.0%		98.8%

Yellow shaded areas indicated weeks in which operational goals of 97% availability and/or 70 hours MTBF were met

Statistics through

September 13, 2017